

TWINBIRD

pdf

HP-4374





RX0009A


※


※

※

※










15A

100V









[illegible]							
230°C	[illegible]	200°C	[illegible]	160°C	[illegible]	120°C	[illegible]

[illegible] 230

[illegible] 4 [illegible]

① [illegible]
② [illegible] 230 [illegible]
③ [illegible]
④ [illegible]

[illegible] 200

[illegible] 4 [illegible] 1 [illegible] 3 4 [illegible] 2 [illegible] 100g [illegible] 1 [illegible]

① Ⓐ [illegible]
② [illegible] ① [illegible]
③ [illegible] 200 [illegible] ② [illegible]
④ [illegible]

[illegible] 200

[illegible] 4 [illegible] 200g [illegible] 8 10 [illegible] 1 [illegible] Ⓐ [illegible] 2 [illegible] 2 [illegible]

① [illegible]
② [illegible] ① Ⓐ [illegible]
③ [illegible] ② [illegible]
④ [illegible] 200 [illegible]
⑤ [illegible] 100m [illegible]



[illegible]

① [illegible]
② [illegible]
③ [illegible]

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]



1. [illegible]
2. [illegible] 1 [illegible]
3. [illegible]
4. [illegible] 5 [illegible]
5. [illegible]

[illegible]
[illegible] 0120−33−7455
FAX 0256−93−1077

[illegible]	
[illegible]	AC100V 50/60Hz
[illegible]	1, 300W
[illegible]	φ 358mm
[illegible]	500× 410× 160mm
[illegible]	3. 8kg
[illegible]	1. 8m
[illegible]	230°C

